

SAMPLE DETAILS
SAMPLE NAME: Strawberry Rhubarb Pie
 Infused, Solid Edible

CULTIVATOR / MANUFACTURER
Business Name:
License Number:
Address:
DISTRIBUTOR / TESTED FOR
Business Name: Superior Molecular
License Number:
Address:
SAMPLE DETAIL
Batch Number: GUM1.111825
Sample ID: 251119N004

Date Collected: 11/19/2025
Date Received: 11/19/2025
Batch Size:
Sample Size: 6.0 units
Unit Mass:
Serving Size: 4 grams per Serving


Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY
Total THC: 1.234 mg/g
Total CBD: 2.563 mg/g
Sum of Cannabinoids: 3.797 mg/g
Total Cannabinoids: 3.797 mg/g

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

Total THC = Δ^9 -THC + (THCa (0.877))
 Total CBD = CBD + (CBDa (0.877))
 Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN
 Total Cannabinoids = (Δ^9 -THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + Δ^8 -THC + CBL + CBN

SAFETY ANALYSIS - SUMMARY

| | | | |
|---|----------------------------------|-----------------------------------|---------------------------------|
| Δ^9 -THC per Serving: ✓PASS | Pesticides: ✓PASS | Mycotoxins: ✓PASS | Residual Solvents: ✓PASS |
| Heavy Metals: ✓PASS | Microbiology (PCR): ✓PASS | Microbiology (Plating): ND | |

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

LQC verified by: 
 Job Title: Senior Laboratory Analyst
 Date: 11/25/2025

Approved by: 
 Chief Compliance Officer
 Date: 11/25/2025



Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 1.234 mg/g

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 2.563 mg/g

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 3.797 mg/g

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: ND

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 11/21/2025

| COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|----------------------------|----------------|--------------------------------|-------------------|----------------|
| CBD | 0.004 / 0.011 | ±0.0956 | 2.563 | 0.2563 |
| Δ^9 -THC | 0.002 / 0.014 | ±0.0677 | 1.234 | 0.1234 |
| Δ^8 -THC | 0.01 / 0.02 | N/A | ND | ND |
| THCa | 0.001 / 0.005 | N/A | ND | ND |
| THCV | 0.002 / 0.012 | N/A | ND | ND |
| THCVa | 0.002 / 0.019 | N/A | ND | ND |
| CBDa | 0.001 / 0.026 | N/A | ND | ND |
| CBDV | 0.002 / 0.012 | N/A | ND | ND |
| CBDVa | 0.001 / 0.018 | N/A | ND | ND |
| CBG | 0.002 / 0.006 | N/A | ND | ND |
| CBGa | 0.002 / 0.007 | N/A | ND | ND |
| CBL | 0.003 / 0.010 | N/A | ND | ND |
| CBN | 0.001 / 0.007 | N/A | ND | ND |
| CBC | 0.003 / 0.010 | N/A | ND | ND |
| CBCa | 0.001 / 0.015 | N/A | ND | ND |
| SUM OF CANNABINOIDS | | | 3.797 mg/g | 0.3797% |

Serving Size: 4 grams per Serving

| | | |
|---------------------------------|-------------------|------|
| Δ^9 -THC per Serving | 4.936 mg/serving | PASS |
| Total THC per Serving | 4.936 mg/serving | |
| CBD per Serving | 10.252 mg/serving | |
| Total CBD per Serving | 10.252 mg/serving | |
| Sum of Cannabinoids per Serving | 15.188 mg/serving | |
| Total Cannabinoids per Serving | 15.188 mg/serving | |

Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 11/25/2025 PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Abamectin | 0.032 / 0.097 | 0.3 | N/A | ND | PASS |
| Acephate | 0.006 / 0.018 | 5 | N/A | ND | PASS |
| Acequinocyl | 0.009 / 0.027 | 4 | N/A | ND | PASS |
| Acetamiprid | 0.016 / 0.049 | 5 | N/A | ND | PASS |
| Aldicarb | 0.030 / 0.090 | ≥ LOD | N/A | ND | PASS |
| Allethrin | 0.030 / 0.092 | | N/A | ND | |
| Atrazine | 0.006 / 0.019 | | N/A | ND | |
| Azadirachtin | 0.082 / 0.248 | | N/A | ND | |
| Azoxystrobin | 0.003 / 0.009 | 40 | N/A | ND | PASS |
| Benzovindiflupyr | 0.003 / 0.009 | | N/A | ND | |
| Bifenazate | 0.003 / 0.009 | 5 | N/A | ND | PASS |

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 11/25/2025 *continued* ✔ **PASS**

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--------------------------|-------------------|------------------------|-----------------------------------|------------------|--------|
| Bifenthrin | 0.021 / 0.064 | 0.5 | N/A | ND | PASS |
| Boscalid | 0.003 / 0.009 | 10 | N/A | ND | PASS |
| Buprofezin [†] | 0.006 / 0.019 | | N/A | ND | |
| Captan | 0.045 / 0.135 | 5 | N/A | ND | PASS |
| Carbaryl | 0.007 / 0.020 | 0.5 | N/A | ND | PASS |
| Carbofuran | 0.003 / 0.008 | ≥ LOD | N/A | ND | PASS |
| Chlorantraniliprole | 0.006 / 0.018 | 40 | N/A | ND | PASS |
| Chlordane* | 0.010 / 0.032 | ≥ LOD | N/A | ND | PASS |
| Chlorfenapyr* | 0.005 / 0.015 | ≥ LOD | N/A | ND | PASS |
| Chlormequat chloride | 0.022 / 0.066 | | N/A | ND | |
| Chlorpyrifos | 0.013 / 0.039 | ≥ LOD | N/A | ND | PASS |
| Clofentezine | 0.003 / 0.009 | 0.5 | N/A | ND | PASS |
| Clothianidin | 0.008 / 0.025 | | N/A | ND | |
| Coumaphos | 0.003 / 0.010 | ≥ LOD | N/A | ND | PASS |
| Cyantraniliprole | 0.003 / 0.010 | | N/A | ND | |
| Cyfluthrin | 0.052 / 0.159 | 1 | N/A | ND | PASS |
| Cypermethrin | 0.051 / 0.153 | 1 | N/A | ND | PASS |
| Cyprodinil [‡] | 0.003 / 0.008 | | N/A | ND | |
| Daminozide | 0.026 / 0.077 | ≥ LOD | N/A | ND | PASS |
| Deltamethrin | 0.059 / 0.180 | | N/A | ND | |
| Diazinon | 0.006 / 0.017 | 0.2 | N/A | ND | PASS |
| Dichlorvos (DDVP) | 0.012 / 0.038 | ≥ LOD | N/A | ND | PASS |
| Dimethoate | 0.003 / 0.009 | ≥ LOD | N/A | ND | PASS |
| Dimethomorph | 0.016 / 0.050 | 20 | N/A | ND | PASS |
| Dinotefuran | 0.010 / 0.030 | | N/A | ND | |
| Diuron | 0.013 / 0.040 | | N/A | ND | |
| Dodemorph | 0.012 / 0.035 | | N/A | ND | |
| Endosulfan sulfate | 0.016 / 0.048 | | N/A | ND | |
| Endosulfan-α* | 0.004 / 0.014 | | N/A | ND | |
| Endosulfan-β* | 0.006 / 0.019 | | N/A | ND | |
| Ethoprophos | 0.003 / 0.009 | ≥ LOD | N/A | ND | PASS |
| Etofenprox | 0.014 / 0.042 | ≥ LOD | N/A | ND | PASS |
| Etoxazole | 0.007 / 0.020 | 1.5 | N/A | ND | PASS |
| Etridiazole* | 0.002 / 0.005 | | N/A | ND | |
| Fenhexamid | 0.003 / 0.008 | 10 | N/A | ND | PASS |
| Fenoxycarb | 0.003 / 0.010 | ≥ LOD | N/A | ND | PASS |
| Fenpyroximate | 0.007 / 0.020 | 2 | N/A | ND | PASS |
| Fensulfothion | 0.003 / 0.010 | | N/A | ND | |
| Fenthion | 0.003 / 0.010 | | N/A | ND | |
| Fenvalerate [‡] | 0.033 / 0.099 | | N/A | ND | |
| Fipronil | 0.003 / 0.010 | ≥ LOD | N/A | ND | PASS |

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 11/25/2025 *continued* ✔ PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---------------------------------------|-------------------|------------------------|-----------------------------------|------------------|--------|
| Flonicamid | 0.007 / 0.022 | 2 | N/A | ND | PASS |
| Fludioxonil | 0.003 / 0.010 | 30 | N/A | ND | PASS |
| Fluopyram [†] | 0.003 / 0.009 | | N/A | ND | |
| Hexythiazox | 0.003 / 0.010 | 2 | N/A | ND | PASS |
| Imazalil | 0.003 / 0.009 | ≥ LOD | N/A | ND | PASS |
| Imidacloprid | 0.003 / 0.010 | 3 | N/A | ND | PASS |
| Iprodione | 0.077 / 0.233 | | N/A | ND | |
| Kinoprene | 0.077 / 0.233 | | N/A | ND | |
| Kresoxim-methyl | 0.006 / 0.019 | 1 | N/A | ND | PASS |
| λ-Cyhalothrin | 0.068 / 0.206 | | N/A | ND | |
| Malathion | 0.003 / 0.009 | 5 | N/A | ND | PASS |
| Metalaxyl | 0.003 / 0.010 | 15 | N/A | ND | PASS |
| Methiocarb | 0.003 / 0.008 | ≥ LOD | N/A | ND | PASS |
| Methomyl | 0.008 / 0.025 | 0.1 | N/A | ND | PASS |
| Methoprene | 0.172 / 0.521 | | N/A | ND | |
| Mevinphos | 0.008 / 0.024 | ≥ LOD | N/A | ND | PASS |
| MGK-264 | 0.015 / 0.047 | | N/A | ND | |
| Myclobutanil | 0.003 / 0.009 | 9 | N/A | ND | PASS |
| Naled | 0.021 / 0.064 | 0.5 | N/A | ND | PASS |
| Novaluron | 0.002 / 0.005 | | N/A | ND | |
| Oxamyl | 0.017 / 0.051 | 0.2 | N/A | ND | PASS |
| Paclobutrazol | 0.003 / 0.010 | ≥ LOD | N/A | ND | PASS |
| Parathion-methyl | 0.016 / 0.050 | ≥ LOD | N/A | ND | PASS |
| Pentachloronitrobenzene (Quintozene)* | 0.004 / 0.012 | 0.2 | N/A | ND | PASS |
| Permethrin | 0.056 / 0.168 | 20 | N/A | ND | PASS |
| Phenothrin | 0.016 / 0.047 | | N/A | ND | |
| Phosmet | 0.007 / 0.020 | 0.2 | N/A | ND | PASS |
| Piperonyl Butoxide | 0.010 / 0.029 | 8 | N/A | ND | PASS |
| Pirimicarb | 0.003 / 0.009 | | N/A | ND | |
| Prallethrin | 0.015 / 0.046 | 0.4 | N/A | ND | PASS |
| Propiconazole | 0.027 / 0.080 | 20 | N/A | ND | PASS |
| Propoxur | 0.003 / 0.008 | ≥ LOD | N/A | ND | PASS |
| Pyraclostrobin | 0.003 / 0.010 | | N/A | ND | |
| Pyrethrins | 0.016 / 0.049 | 1 | N/A | ND | PASS |
| Pyridaben | 0.005 / 0.017 | 3 | N/A | ND | PASS |
| Pyriproxyfen | 0.003 / 0.009 | | N/A | ND | |
| Resmethrin | 0.013 / 0.039 | | N/A | ND | |
| Spinetoram | 0.003 / 0.010 | 3 | N/A | ND | PASS |
| Spinosad | 0.003 / 0.010 | 3 | N/A | ND | PASS |
| Spirodiclofen | 0.031 / 0.093 | | N/A | ND | |
| Spiromesifen | 0.016 / 0.050 | 12 | N/A | ND | PASS |

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 11/25/2025 *continued* ✔ PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Spirotetramat | 0.003 / 0.010 | 13 | N/A | ND | PASS |
| Spiroxamine | 0.020 / 0.062 | ≥ LOD | N/A | ND | PASS |
| Tebuconazole | 0.003 / 0.010 | 2 | N/A | ND | PASS |
| Tebufenozide | 0.003 / 0.008 | | N/A | ND | |
| Teflubenzuron | 0.007 / 0.022 | | N/A | ND | |
| Tetrachlorvinphos | 0.003 / 0.008 | | N/A | ND | |
| Tetramethrin | 0.021 / 0.063 | | N/A | ND | |
| Thiabendazole | 0.006 / 0.020 | | N/A | ND | |
| Thiacloprid | 0.003 / 0.009 | ≥ LOD | N/A | ND | PASS |
| Thiamethoxam | 0.003 / 0.010 | 4.5 | N/A | ND | PASS |
| Thiophanate-methyl | 0.013 / 0.040 | | N/A | ND | |
| Trifloxystrobin | 0.003 / 0.009 | 30 | N/A | ND | PASS |



Mycotoxin Analysis

MYCOTOXIN TEST RESULTS - 11/22/2025 ✔ PASS

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

| COMPOUND | LOD/LOQ (µg/kg) | ACTION LIMIT (µg/kg) | MEASUREMENT UNCERTAINTY (µg/kg) | RESULT (µg/kg) | RESULT |
|-----------------|-----------------|----------------------|---------------------------------|----------------|--------|
| Aflatoxin B1 | 1.6 / 5.0 | | N/A | ND | |
| Aflatoxin B2 | 1.4 / 4.1 | | N/A | ND | |
| Aflatoxin G1 | 1.6 / 4.9 | | N/A | ND | |
| Aflatoxin G2 | 1.6 / 5.0 | | N/A | ND | |
| Ochratoxin A | 1.6 / 5.0 | 20 | N/A | ND | PASS |
| Total Aflatoxin | | 20 | | ND | PASS |



Residual Solvents Analysis

RESIDUAL SOLVENTS TEST RESULTS - 11/22/2025 ✔ PASS

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Butanes = n-Butane + 2-Methylpropane (Isobutane)

Total Pentanes = n-Pentane + 2-Methylbutane (Isopentane) + 2,2-Dimethylpropane (Neopentane)

Total Hexanes = n-Hexane + 2,2-Dimethylbutane (Neohexane) + 2,3-Dimethylbutane / 2-Methylpentane (Isohexane) + 3-Methylpentane

Total Heptanes = 2,2-Dimethylpentane (Neoheptane) +

2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane +

2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) +

3-Methylhexane + 3-Ethylpentane + n-Heptane

Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) +

1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene) +

Ethylbenzene

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--|----------------|---------------------|--------------------------------|---------------|--------|
| Propane | 0.234 / 0.781 | 5000 | N/A | ND | PASS |
| 2-Methylpropane (Isobutane) | 0.052 / 0.173 | | N/A | ND | |
| n-Butane | 0.019 / 0.063 | 5000 | N/A | ND | PASS |
| Total Butanes | | | | ND | |
| 2-Methylbutane (Isopentane) | 0.310 / 1.035 | | N/A | ND | |
| 2,2-Dimethylpropane (Neopentane) | 0.035 / 0.117 | | N/A | ND | |
| n-Pentane | 0.310 / 1.033 | 5000 | N/A | ND | PASS |
| Total Pentanes | | | | ND | |
| 2,2-Dimethylbutane (Neohexane) | 9.831 / 32.77 | | N/A | ND | |
| 2,3-Dimethylbutane / 2-Methylpentane (Isohexane) | 0.381 / 1.271 | | N/A | ND | |
| 3-Methylpentane | 0.109 / 0.365 | | N/A | ND | |

Continued on next page



 **Residual Solvents Analysis**
Continued

RESIDUAL SOLVENTS TEST RESULTS - 11/22/2025 *continued* ✔ PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--|-------------------|------------------------|-----------------------------------|------------------|--------|
| n-Hexane | 0.110 / 0.366 | 290 | N/A | ND | PASS |
| Total Hexanes | | | | ND | |
| Cyclohexane | 0.357 / 1.190 | | N/A | ND | |
| 2,2-Dimethylpentane (Neoheptane) | 0.493 / 1.642 | | N/A | ND | |
| 2,3-Dimethylpentane | 1.009 / 3.365 | | N/A | ND | |
| 2,4-Dimethylpentane | 0.737 / 2.458 | | N/A | ND | |
| 3,3-Dimethylpentane | 0.198 / 0.660 | | N/A | ND | |
| 2,2,3-Trimethylbutane (Triptane) | 0.521 / 1.738 | | N/A | ND | |
| 2-Methylhexane (Isoheptane) | 0.610 / 2.034 | | N/A | ND | |
| 3-Methylhexane | 0.235 / 0.785 | | N/A | ND | |
| 3-Ethylpentane | 0.304 / 1.012 | | N/A | ND | |
| n-Heptane | 13.12 / 43.72 | 5000 | N/A | ND | PASS |
| Total Heptanes | | | | ND | |
| Cycloheptane | 0.597 / 1.989 | | N/A | ND | |
| Benzene | 0.089 / 0.295 | 1 | N/A | ND | PASS |
| Toluene | 0.115 / 0.382 | 890 | N/A | ND | PASS |
| Cumene | 0.180 / 0.600 | | N/A | ND | |
| 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene) | 0.451 / 1.502 | | N/A | ND | |
| 1,2-Dimethylbenzene (o-Xylene) | 0.387 / 1.289 | | N/A | ND | |
| Ethylbenzene | 0.370 / 1.233 | | N/A | ND | |
| Total Xylenes | | 2170 | | ND | PASS |
| Methanol | 53.92 / 163.4 | 3000 | N/A | ND | PASS |
| Ethanol | 8.984 / 27.23 | 5000 | N/A | <LOQ | PASS |
| 1-Propanol | 1.540 / 5.133 | | N/A | ND | |
| 2-Propanol (Isopropyl Alcohol) | 8.421 / 25.52 | 5000 | N/A | <LOQ | PASS |
| 1-Butanol | 0.475 / 1.582 | | N/A | ND | |
| 2-Butanol | 7.248 / 24.16 | | N/A | ND | |
| 1-Pentanol | 1.461 / 4.869 | | N/A | ND | |
| Acetone | 10.59 / 32.08 | 5000 | N/A | ND | PASS |
| 2-Butanone | 0.169 / 0.564 | | N/A | ND | |
| Tetrahydrofuran | 0.622 / 2.075 | | N/A | ND | |
| Ethyl Ether | 0.197 / 0.658 | 5000 | N/A | ND | PASS |
| Ethylene Glycol | 3.803 / 12.68 | | N/A | ND | |
| 2-Ethoxyethanol | 1.235 / 4.118 | | N/A | ND | |
| 1,2-Dimethoxyethane | 2.116 / 7.052 | | N/A | ND | |
| 1,4-Dioxane | 0.468 / 1.558 | | N/A | ND | |
| Ethylene Oxide | 0.253 / 0.844 | 1 | N/A | ND | PASS |
| Ethyl Acetate | 1.123 / 3.745 | 5000 | N/A | ND | PASS |
| Isopropyl Acetate | 0.347 / 1.158 | | N/A | ND | |

Continued on next page



Residual Solvents Analysis

Continued

RESIDUAL SOLVENTS TEST RESULTS - 11/22/2025 *continued* ✔ PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--------------------------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Chloroform | 0.251 / 0.838 | 1 | N/A | ND | PASS |
| Dichloromethane (Methylene Chloride) | 2.651 / 8.838 | 1 | N/A | ND | PASS |
| Trichloroethylene | 0.299 / 0.996 | 1 | N/A | ND | PASS |
| 1,2-Dichloroethane | 0.162 / 0.541 | 1 | N/A | ND | PASS |
| 1,1-Dichloroethene | 0.185 / 0.616 | | N/A | ND | |
| 1,2-Dichloroethene | 0.428 / 1.427 | | N/A | ND | |
| Sulfolane | 47.66 / 158.9 | | N/A | ND | |
| Dimethyl Sulfoxide | 6.168 / 20.56 | | N/A | ND | |
| Acetonitrile | 1.595 / 4.833 | 410 | N/A | ND | PASS |
| Pyridine | 0.407 / 1.355 | | N/A | ND | |
| N,N-Dimethylacetamide | 0.127 / 0.422 | | N/A | ND | |
| N,N-Dimethylformamide | 0.946 / 3.153 | | N/A | ND | |

Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 11/21/2025 ✔ PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|----------|----------------|---------------------|--------------------------------|---------------|--------|
| Arsenic | 0.02 / 0.1 | 1.5 | N/A | ND | PASS |
| Cadmium | 0.02 / 0.05 | 0.5 | N/A | ND | PASS |
| Lead | 0.04 / 0.1 | 0.5 | N/A | ND | PASS |
| Mercury | 0.002 / 0.01 | 3 | N/A | ND | PASS |

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

MICROBIOLOGY TEST RESULTS (PCR) - 11/24/2025 ✔ PASS

| COMPOUND | ACTION LIMIT (cfu/g) | RESULT (cfu/g) | RESULT |
|---|----------------------|----------------|--------|
| <i>Aspergillus flavus</i> | Not Detected in 1g | ND | PASS |
| <i>Aspergillus fumigatus</i> | Not Detected in 1g | ND | PASS |
| <i>Aspergillus niger</i> | Not Detected in 1g | ND | PASS |
| <i>Aspergillus terreus</i> | Not Detected in 1g | ND | PASS |
| Bile-Tolerant Gram-Negative Bacteria | | ND | |
| <i>Campylobacter</i> spp. | | ND | |
| <i>Candida albicans</i> | | ND | |
| <i>Listeria monocytogenes</i> | | ND | |
| <i>Pseudomonas aeruginosa</i> | | ND | |
| <i>Salmonella</i> spp. | Not Detected in 1g | ND | PASS |
| Shiga toxin-producing <i>Escherichia coli</i> | Not Detected in 1g | ND | PASS |
| <i>Staphylococcus aureus</i> | | ND | |
| <i>Yersinia</i> spp. | | ND | |



Microbiology Analysis *Continued*

MICROBIOLOGY TEST RESULTS (PLATING) - 11/24/2025 ND

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

| COMPOUND | RESULT (cfu/g) |
|--------------------------|----------------|
| Coliforms | ND |
| <i>Escherichia coli</i> | ND |
| Total Aerobic Bacteria | ND |
| Total Enterobacteriaceae | ND |
| Total Yeast and Mold | ND |

NOTES

Sample serving mass provided by client.